

900/C39

11 hexagon sockets, 21 bits and 7 accessories



900/C39 1 009000937

	● 861LP	0,6x4,5 - 1,2x6,5 - 1,2x8 mm
	⊕ 861PH	PH1-PH2-PH3
	⊕ 861PZ	PZ1-PZ2-PZ3
	● 861PE	2,5-3-4-5-6 mm
	⊕ 861RTX	T10-T15-T20-T25-T27-T30-T40
	○ 900	5-5,5-6-7-8-9-10-11-12-13-14 mm
	900/20	50 mm
	900/20L	100 mm
	900/25	
	900BG/30C	
	⊕ 900/55	
	892/0	
	895/1	

900/C11

11 hexagon sockets, 20 bits and 8 accessories



900/C11 1 009000971

	● 861LP	0,5x3 - 0,8x5,5 1x5,5 - 1,2x6,5 mm
	● 861PE	3 - 4 - 5 - 6 - 8 mm
	⊕ 861PH	0 - 1 - 2 - 3
	⊕ 861TX	T8 - T10 - T15 - T20 T25 - T30 - T40
	895/1	
	○ 900	5 - 5,5 - 6 - 7 - 8 - 9 - 10 11 - 12 - 13 - 14 mm
	900/16	□ 1/4 - ■ 3/8
	900/20	50 mm
	900/21	150 mm
	900/25	
	900BG/30	
	900/42	
	⊕ 900/55	

270x120x45 mm - 1,2 kg

900/C13-5

13 hexagon sockets and 5 accessories



900/C13-5 1 009000953

	○ 900	4 - 4,5 - 5 - 5,5 - 6 - 7 - 8 - 9 10 - 11 - 12 - 13 - 14 mm
	900/21	150 mm
	900/25	
	900BG/30	
	900/42	
	⊕ 900/55	

270x120x45 mm - 1 kg

900/C13-8

13 hexagon sockets and 8 accessories



900/C13-8 1 009000954

	○ 900	4 - 4,5 - 5 - 5,5 - 6 - 7 - 8 - 9 10 - 11 - 12 - 13 - 14 mm
	900/16	□ 1/4 - ■ 3/8
	900/20	50 mm
	900/21	150 mm
	900/25	
	900BG/30	
	900/35A	
	900/42	
	⊕ 900/55	

270x120x45 mm - 1,1 kg

900MB/C19

11 bi-hex sockets and 8 accessories



900MB/C19 1 009000977

	○ 900MB	5 - 5,5 - 6 - 7 - 8 - 9 - 10 - 11 12 - 13 - 14 mm
	900/16	□ 1/4 - ■ 3/8
	900/20	50 mm
	900/21	150 mm
	900/25	
	900BG/30	
	900/35A	
	900/42	
	⊕ 900/55	

270x120x45 mm - 1,1 kg

900/C24

13 hexagon sockets, 11 socket drivers and 6 accessories



900/C24 1 009000956

	○ 900	4 - 4,5 - 5 - 5,5 - 6 - 7 - 8 - 9 10 - 11 - 12 - 13 - 14 mm
	● 900LP	0,8x4 - 1,2x6,5 - 1,2x8 mm
	⊕ 900PH	PH1 - PH2 - PH3
	○ 900ME	3 - 4 - 5 - 6 - 8 mm
	900/20	50 mm
	900/21	150 mm
	900/25	
	900BG/30	
	900/42	
	⊕ 900/55	

270x120x45 mm - 1,1 kg

900MB/C28

11 bi-hex sockets, 11 socket drivers and 6 accessories

1/4"



900MB/C28 1 009000979

- 900MB 5 - 5,5 - 6 - 7 - 8 - 9 - 10 - 11
12 - 13 - 14 mm
- 900LP 0,8x4 - 1,2x6,5 - 1,2x8 mm
- ⊕ 900PH PH1 - PH2 - PH3
- 900ME 3 - 4 - 5 - 6 - 8 mm
- 900/20 50 mm
- 900/21 150 mm
- 900/25
- 900BG/30
- 900/42
- 900/55

270x120x45 mm - 1,1 kg

900AS/C10 - /MB-C17

10 sockets and 7 accessories

1/4"



900AS/C10 1 009000961

- 900AS 3/16 - 7/32 - 1/4 - 9/32 - 5/16
11/32 - 3/8 - 7/16 - 1/2 - 9/16
- 900/20 50 mm
- 900/21 150 mm
- 900/25
- 900BG/30
- 900/35A
- 900/42
- 900/55

270x120x45 mm - 1,1 kg

900AS/MB-C17 1 009000981

- 900AS/MB 3/16 - 7/32 - 1/4 - 9/32 - 5/16
11/32 - 3/8 - 7/16 - 1/2 - 9/16
- 900/20 50 mm
- 900/21 150 mm
- 900/25
- 900BG/30
- 900/35A
- 900/42
- 900/55

270x120x45 mm - 1,1 kg

900AS/C17-MBM

10 bi-hex sockets and 7 accessories for aeronautical maintenance

1/4"



900AS/C17-MBM 1 009000982

- 900AS/MB 3/16 - 7/32 - 1/4 - 9/32 - 5/16
11/32 - 3/8 - 7/16 - 1/2 - 9/16
- 900/20 50 mm
- 900/21 150 mm
- 900/25
- 900BG/30
- 900M/35
- 900/42
- 900M/55

270x120x45 mm - 1,2 kg

900/C11HR

11 hexagon sockets, 20 bits and 7 accessories in hard foam tray, in metal case

• ratchet with rotating handle

1/4"

1/4"



900/C11HR 1 009000980

- 861LP 0,5x3-0,8x5,5-1x5,5-1,2x6,5 mm
- ⊕ 861PH PH0-PH1-PH2-PH3
- 861PE 3-4-5-6-8 mm
- ⊗ 861TX T8-T10-T15-T20-T25-T30-T40
- 895/1
- 900 5-5,5-6-7-8-9-10-11-12-13-14 mm
- 900/16 □ 1/4 - ■ 3/8
- 900/20 50 mm
- 900/21 150 mm
- 900/25
- 900/42
- 900/30
- 900/58

350x150x50 mm - 1,3 kg

902R/C6

6 adaptors for socket drivers



902R/C6 1 009020814

- 900/16 □ 1/4 - ■ 3/8
- 910/15 □ 3/8 - ■ 1/4
- 910/16 □ 3/8 - ■ 1/2
- 920/15 □ 1/2 - ■ 3/8
- 920/16 □ 1/2 - ■ 3/4
- 928/15 □ 3/4 - ■ 1/2

170x100x35 mm - 600 g

910A

hexagon hand sockets



3/8"



UNI/ISO 2725 DIN 3124

mm	Ø	L	Ø1	
6	9,5	28	16,7	5 009100006
7	10,7	28	16,7	5 009100007
8	12,1	28	16,7	5 009100008
9	13,2	28	16,7	5 009100009
10	14,6	29	16,7	5 009100010
11	15,8	29	16,7	5 009100011
12	17,2	30	17,7	5 009100012
13	18,4	31	17,0	5 009100013
14	19,7	32	17,5	5 009100014
15	20,9	32	18,0	5 009100015
16	22,2	33	18,5	5 009100016
17	23,2	33	19,0	5 009100017
18	24,7	34	20,0	5 009100018
19	25,8	35	21,0	5 009100019
20	27,2	35	22,0	5 009100020
21	28,2	36	23,0	5 009100021
22	29,7	37	24,0	5 009100022



3/8"




910A/SB17 1 009100030

6-7-8-9-10-11-12
13-14-15-16-17
18-19-20-21-22 mm

910/42

3/8" drive sliding T-handle




UNI/ISO 3315 DIN 3122

L	A	
mm	mm	
210	30,5	5 009100854

910/46

3/8" square drive with speed brace



UNI/ISO 3315 DIN 3122

L	L1	A	
mm	mm	mm	
315	80	115	1 009100862

910/55

3/8" drive reversible ratchet 72 teeth



UNI/ISO 3315 DIN 3122

L	Ø	A	
mm	mm	mm	
200	30	33	3 009100882

910/55Q

3/8" drive reversible ratchet 48 teeth



UNI/ISO 3315 DIN 3122

L	Ø	A	
mm	mm	mm	
200	30	33	3 009100885

Spare parts
rotating mechanism of ratchets,
see table after item 929/C8

910M/55

3/8" drive reversible ratchet
with metal handle



L	Ø	A	
mm	mm	mm	
178	30	26	2 009100875

910M/56

3/8" drive reversible swivel ratchet
with metal handle



L	Ø	A	
mm	mm	mm	
265	31	29	2 009100887

910/58

3/8" drive reversible ratchet
with rotating handle,
52 tooth mechanism

- Socket release button
- Ring nut reversal system on ratchet head
- Bi-material handle



L	Ø	A	
mm	mm	mm	
222	37	38,5	1 009100884

910.../C10

10 sockets and 2 accessories



910A	6 - 7 - 8 - 10 - 11 - 12		
910/21	13 - 14 - 17 - 19 mm		
910/55	125 mm		

270x120x45 mm - 1,3 kg

910B/C10

1 009100910

910B	6 - 7 - 8 - 10 - 11 - 12		
910/21	13 - 14 - 17 - 19 mm		
910/55	125 mm		

270x120x45 mm - 1,3 kg

910A/C16...

16 hexagon sockets and 5 accessories



910A/C16

1 009100936

910A	6 - 7 - 8 - 9 - 10 - 11 - 12 - 13		
910/21	14 - 15 - 16 - 17 - 18 - 19		
910/22	21 - 22 mm		
910/25	125 mm		
910/42	250 mm		
910/55	125 mm		
910/55	250 mm		

335x145x60 mm - 2,3 kg

910A/C16Q

1 009100932

910A	6 - 7 - 8 - 9 - 10 - 11 - 12 - 13		
910/21	14 - 15 - 16 - 17 - 18 - 19		
910/22	21 - 22 mm		
910/25	125 mm		
910/42	250 mm		
910/55Q	125 mm		
910/55Q	250 mm		

335x145x60 mm - 2,3 kg

Beta

910B/C16...

16 bi-hex sockets and 5 accessories

38"



910B/C16

1 009100937

	○ 910B	6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 14 - 15 - 16 - 17 - 18 - 19 21 - 22 mm
	910/21	125 mm
	910/22	250 mm
	910/25	
	910/42	
	910/55	

335x145x60 mm - 2,3 kg

910B/C16Q

1 009100933

	○ 910B	6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 14 - 15 - 16 - 17 - 18 - 19 21 - 22 mm
	910/21	125 mm
	910/22	250 mm
	910/25	
	910/42	
	910/55Q	

335x145x60 mm - 2,3 kg

910A/C17

17 hexagon sockets and 9 accessories

38"



910A/C17

1 009100938

	○ 910A	6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 14 - 15 - 16 - 17 - 18 - 19 - 20 21 - 22 mm
	910/15	□ 3/8 - ■ 1/4
	910/16	□ 3/8 - ■ 1/2
	910/21	125 mm
	910/22	250 mm
	910/25	
	910/36A	
	910/42	
	910/46	
	910/55	

420x280x60 mm - 4,0 kg

910.../C29

17 sockets, 12 socket drivers and 5 accessories

38"



910A/C29

1 009100944

	○ 910A	6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 14 - 15 - 16 - 17 - 18 - 19 - 20 21 - 22 mm
	910LP	1x5,5 - 1,2x6,5 - 1,2x8 mm
	910PH	PH1 - PH2 - PH3
	910PE	3 - 4 - 5 - 6 - 8 - 10 mm
	910/21	125 mm
	910/22	250 mm
	910/25	
	910/42	
	910/55	

420x185x60 mm - 3,5 kg

910B/C29

1 009100945

	○ 910B	6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 14 - 15 - 16 - 17 - 18 - 19 - 20 21 - 22 mm
	910LP	1x5,5 - 1,2x6,5 - 1,2x8 mm
	910PH	PH1 - PH2 - PH3
	910PE	3 - 4 - 5 - 6 - 8 - 10 mm
	910/21	125 mm
	910/22	250 mm
	910/25	
	910/42	
	910/55	

420x185x60 mm - 3,5 kg

910AS/C13...

13 bi-hex sockets and 5 accessories

38"



910AS/C13

1 009100925

	○ 910AS	1/4 - 5/16 - 11/32 - 3/8 - 7/16 1/2 - 9/16 - 19/32 - 5/8 - 11/16 3/4 - 13/16 - 7/8
	910/21	125 mm
	910/22	250 mm
	910/42	
	910/25	
	910/55	

335x145x60 mm - 2,3 kg

910AS/MBM-C18

13 bi-hex sockets and 5 accessories for aeronautical maintenance

38"



910AS/MBM-C18

1 009100926

	○ 910AS	1/4 - 5/16 - 11/32 - 3/8 - 7/16 1/2 - 9/16 - 19/32 - 5/8 - 11/16 3/4 - 13/16 - 7/8
	910/21	125 mm
	910/22	250 mm
	910/25	
	910/42	
	910M/55	

335x145x60 mm - 2,5 kg

910A/C16HR

16 hexagon sockets and 5 accessories

38"



910A/C16HR

1 009100935

	○ 910A	6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 14 - 15 - 16 - 17 - 18 - 19 21 - 22 mm
	910/21	125 mm
	910/22	250 mm
	910/25	
	910/42	
	910/58	

335x145x60 mm - 2,4 kg

920/55X

1/2" drive reversible ratchet, 72 teeth




UNI/ISO 3315 DIN 3122

L	Ø	A		
mm	mm	mm		
200	30	33	3	009200895

920/55LC

1/2" drive reversible ratchet
"Locking System", 72 teeth



UNI/ISO 3315 DIN 3122

L	Ø	A		
mm	mm	mm		
275	40	43	2	009200896

920/55L

extension reversible ratchet,
1/2" male drive,
72 tooth mechanism



L	L max	Ø	A		
mm	mm	mm	mm		
282	422	40	43	1	009200927

920M/55

1/2" drive reversible ratchet
with metal handle



L	Ø	A		
mm	mm	mm		
253	38	35	1	009200893

920/56A


1/2" drive swivel reversible ratchet,
72 teeth



L	Ø	A		
mm	mm	mm		
315	40	43	1	009200911

920M/56

1/2" drive reversible swivel ratchet
with metal handle



L	Ø	A		
mm	mm	mm		
330	38	35,7	2	009200894

920/58

1/2" drive reversible ratchet
with rotating handle,
52 tooth mechanism

- Socket release button
- Ring nut reversal system on ratchet head
- Bi-material handle



L	Ø	A		
mm	mm	mm		
281	42,5	45	1	009200926

Spare parts
rotating mechanism of ratchets,
see table after item 929/C8

920.../C11

11 sockets and 2 accessories



920A/C11 1 009200921

920A	10 - 12 - 13 - 14 - 15 - 16 17 - 18 - 19 - 21 - 22 mm
920/22	255 mm
920/50	
335x145x60 mm - 2,5 kg	

920B/C11 1 009200922

920B	10 - 12 - 13 - 14 - 15 - 16 17 - 18 - 19 - 21 - 22 mm
920/22	255 mm
920/50	
335x145x60 mm - 2,5 kg	

920.../C12...

12 sockets and 5 accessories











920A/C12X 1 009200933

920A	10 - 11 - 12 - 13 - 14 - 17 - 19 22 - 24 - 27 - 30 - 32 mm
920/21	125 mm
920/22	255 mm
920/25	
920/42	
920/55	
420x185x60 mm - 4,2 kg	








920A/C12 1 009200931

920A	10 - 11 - 12 - 13 - 14 - 17 - 19 22 - 24 - 27 - 30 - 32 mm
920/21	125 mm
920/22	255 mm
920/25	
920/42	
920/50	
420x185x60 mm - 4,2 kg	

920B/C12X 1 009200934

-  **920B** 10 - 11 - 12 - 13 - 14 - 17 - 19
22 - 24 - 27 - 30 - 32 mm
 -  **920/21** 125 mm
 -  **920/22** 255 mm
 -  **920/25**
 -  **920/42**
 -  **920/55**
-  420x185x60 mm -  4,0 kg

920B/C12 1 009200932

-  **920B** 10 - 11 - 12 - 13 - 14 - 17 - 19
22 - 24 - 27 - 30 - 32 mm
 -  **920/21** 125 mm
 -  **920/22** 255 mm
 -  **920/25**
 -  **920/42**
 -  **920/50**
-  420x185x60 mm -  4,0 kg







920.../C20...

20 sockets and 5 accessories

12"



920A/C20X 1 009200950

-  **920A** 10 - 11 - 12 - 13 - 14 - 15 - 16
17 - 18 - 19 - 20 - 21 - 22 - 23
24 - 26 - 27 - 28 - 30 - 32 mm
 -  **920/21** 125 mm
 -  **920/22** 255 mm
 -  **920/25**
 -  **920/42**
 -  **920/55**
-  420x185x60 mm -  5,1 kg




920A/C20 1 009200948

-  **920A** 10 - 11 - 12 - 13 - 14 - 15 - 16
17 - 18 - 19 - 20 - 21 - 22 - 23
24 - 26 - 27 - 28 - 30 - 32 mm
 -  **920/21** 125 mm
 -  **920/22** 255 mm
 -  **920/25**
 -  **920/42**
 -  **920/50**
-  420x185x60 mm -  5,1 kg









920A/C20Q 1 009200955

-  **920A** 10 - 11 - 12 - 13 - 14 - 15 - 16
17 - 18 - 19 - 20 - 21 - 22 - 23
24 - 26 - 27 - 28 - 30 - 32 mm
 -  **920/21** 125 mm
 -  **920/22** 255 mm
 -  **920/25**
 -  **920/42**
 -  **920/55Q**
-  420x185x60 mm -  5,1 kg

920B/C20 1 009200949

-  **920B** 10 - 11 - 12 - 13 - 14 - 15 - 16
17 - 18 - 19 - 20 - 21 - 22 - 23
24 - 26 - 27 - 28 - 30 - 32 mm
 -  **920/21** 125 mm
 -  **920/22** 255 mm
 -  **920/25**
 -  **920/42**
 -  **920/50**
-  420x185x60 mm -  5,0 kg

920B/C20X 1 009200951

-  **920B** 10 - 11 - 12 - 13 - 14 - 15 - 16
17 - 18 - 19 - 20 - 21 - 22 - 23
24 - 26 - 27 - 28 - 30 - 32 mm
 -  **920/21** 125 mm
 -  **920/22** 255 mm
 -  **920/25**
 -  **920/42**
 -  **920/55**
-  420x185x60 mm -  5,0 kg


920.../C21...

21 sockets and 6 accessories

12"












920A/C21 1 009200952

-  **920A** 10 - 11 - 12 - 13 - 14 - 15 - 16
17 - 18 - 19 - 20 - 21 - 22 - 23
24 - 25 - 26 - 27 - 28 - 30 - 32 mm
 -  **920/21** 125 mm
 -  **920/22** 255 mm
 -  **920/25**
 -  **920/42**
 -  **920/46**
 -  **920/50**
-  420x280x60 mm -  6,5 kg










920A/C21X 1 009200983

-  **920A** 10 - 11 - 12 - 13 - 14 - 15 - 16
17 - 18 - 19 - 20 - 21 - 22 - 23
24 - 25 - 26 - 27 - 28 - 30 - 32 mm
 -  **920/21** 125 mm
 -  **920/22** 255 mm
 -  **920/25**
 -  **920/42**
 -  **920/46**
 -  **920/55**
-  420x280x60 mm -  6,4 kg

920B/C21 1 009200953

-  **920B** 10 - 11 - 12 - 13 - 14 - 15 - 16
17 - 18 - 19 - 20 - 21 - 22 - 23
24 - 25 - 26 - 27 - 28 - 30 - 32 mm
 -  **920/21** 125 mm
 -  **920/22** 255 mm
 -  **920/25**
 -  **920/42**
 -  **920/46**
 -  **920/50**
-  420x280x60 mm -  6,4 kg

920B/C21X 1 009200984

-  **920B** 10 - 11 - 12 - 13 - 14 - 15 - 16
17 - 18 - 19 - 20 - 21 - 22 - 23
24 - 25 - 26 - 27 - 28 - 30 - 32 mm
 -  **920/21** 125 mm
 -  **920/22** 255 mm
 -  **920/25**
 -  **920/42**
 -  **920/46**
 -  **920/55**
-  420x280x60 mm -  6,4 kg



920B/C30Q

30 bi-hex sockets and 5 accessories

12"



920B/C30Q

1 009200975

 ○ 920B	8 - 9 - 10 - 11 - 12 - 13 - 14 15 - 16 - 17 - 18 - 19 - 20 - 21 22 - 23 - 24 - 26 - 27 - 30 mm
 ○ 920BL	12 - 13 - 14 - 17 - 19 - 21 22 - 24 - 27 - 30 mm
 920/21	125 mm
 920/22	255 mm
 920/25	
 920/42	
 920/55Q	

420x280x60 mm - 7,6 kg

920.../C33










20 sockets, 13 socket drivers
and 5 accessories

12"



920A/C33










1 009200985

 ○ 920A	10 - 11 - 12 - 13 - 14 - 15 - 16 17 - 18 - 19 - 20 - 21 - 22 - 23 24 - 26 - 27 - 28 - 30 - 32 mm
 920LP	1,2x8 - 1,6x9 - 2x12 mm
 920PH	PH2 - PH3 - PH4
 ○ 920PE	4 - 5 - 6 - 8 - 10 - 12 - 14 mm
 920/21	125 mm
 920/22	255 mm
 920/25	
 920/42	
 920/55	

420x280x60 mm - 6,7 kg

920B/C33

1 009200986

 ○ 920B	10 - 11 - 12 - 13 - 14 - 15 - 16 17 - 18 - 19 - 20 - 21 - 22 - 23 24 - 26 - 27 - 28 - 30 - 32 mm
 920LP	1,2x8 - 1,6x9 - 2x12 mm
 920PH	PH2 - PH3 - PH4
 ○ 920PE	4 - 5 - 6 - 8 - 10 - 12 - 14 mm
 920/21	125 mm
 920/22	255 mm
 920/25	
 920/42	
 920/55	

420x280x60 mm - 6,7 kg

920/C37

37 bi-hex sockets and 5 accessories

12"



920/C37

1 009200988

 ○ 920B	10 - 11 - 12 - 13 - 14 - 15 - 16 17 - 18 - 19 - 20 - 21 - 22 - 23 24 - 26 - 27 - 28 - 30 - 32 mm
 ○ 920AS	3/8 - 7/16 - 1/2 - 9/16 - 19/32 5/8 - 11/16 - 3/4 - 25/32 - 13/16 7/8 - 15/16 - 1 - 1.1/16 - 1.1/8 1.3/16 - 1.1/4
 920/21	125 mm
 920/22	255 mm
 920/25	
 920/42	
 920/55	

420x280x60 mm - 7,5 kg

920AS/C10




10 bi-hex sockets and 2 accessories

12"



920AS/C10

1 009200919

 ○ 920AS	3/8 - 7/16 - 1/2 - 9/16 - 5/8 11/16 - 3/4 - 13/16 - 7/8 - 15/16
 920/22	255 mm
 920/50	

335x145x60 mm - 2,6 kg

920AS/C15

15 bi-hex sockets and 6 accessories

12"



920AS/C15

1 009200947

 ○ 920AS	3/8 - 7/16 - 1/2 - 9/16 - 5/8 - 11/16 3/4 - 13/16 - 7/8 - 15/16 - 1 1.1/16 - 1.1/8 - 1.3/16 - 1.1/4
 920/21	125 mm
 920/22	255 mm
 920/25	
 920/42	
 920/46	
 920/50	

420x280x60 mm - 5,9 kg

920AS/C17X

17 bi-hex sockets and 5 accessories

12"



920AS/C17X 1 009200942

	○ 920AS	3/8 - 7/16 - 1/2 - 9/16 - 19/32 - 5/8 11/16 - 3/4 - 25/32 - 13/16 - 7/8 15/16 - 1 - 1.1/16 - 1.1/8 - 1.3/16 - 1.1/4
	920/21	125 mm
	920/22	255 mm
	920/25	
	920/42	
	920/55	
	420x185x60 mm - 4,8 kg	

920AS/MBM-C21

16 bi-hex sockets and 5 accessories
for aeronautical maintenance

12"



920AS/MBM-C21 1 009200944

	○ 920AS	3/8 - 7/16 - 1/2 - 9/16 19/32 - 5/8 - 11/16 - 3/4 25/32 - 13/16 - 7/8 - 15/16 1 - 1.1/16 - 1.3/16 - 1.1/4
	920M/55	
	920/21	125 mm
	920/22	255 mm
	920/25	
	920/42	
	420x185x60 mm - 5,0 kg	

920TX/C17

6 bits, 6 sockets, 5 socket drivers
and 4 accessories for Torx® head screws



12"



920TX/C17 1 009200989

	861TX	T8 - T10 - T15 - T20 - T25 - T27
	897	
	920TX	T27 - T30 - T40 - T45 - T50
	920FTX	E10 - E12 - E14 - E16 - E18 - E20
	920/20	75 mm
	920/22	255 mm
	920/55	
	420x185x60 mm - 2,9 kg	

920A/C17HR

17 hexagon sockets and 5 accessories
in hard foam tray, in metal case

12"



920A/C17HR 1 009200939

	○ 920A	10-11-12-13-14-15-16-17-18-19-20- 21-22-24-27-30-32 mm
	920/21	125 mm
	920/22	255 mm
	920/25	
	920/42	
	920/58	
	420x185x60 mm - 5,1 kg	

928A

hexagon hand sockets



3/4"



UNI/ISO 2725
DIN 3124

Ø	Ø	L	Ø1		
mm	mm	mm	mm		
19	29,2	50	34	5	009280019
22	31,3	53	34	5	009280022
23	33,3	53	34	5	009280023
24	34,5	53	34	5	009280024
26	36,8	55	35	5	009280026
27	38,0	56	35	5	009280027
28	39,0	57	35	3	009280028
29	40,2	58	35	3	009280029
30	41,5	58	37	3	009280030
32	44,3	60	37	3	009280032
33	45,8	60	37	3	009280033
34	46,8	60	37	3	009280034
35	48,1	62	38	3	009280035
36	49,5	64	38	3	009280036
38	52,0	68	40	3	009280038
41	56,0	71	40	3	009280041
46	62,3	75	43	3	009280046
50	67,4	80	43	3	009280050
55	73,7	84	48	1	009280055
60	80,0	87	48	1	009280060

928B

bi-hex hand sockets



3/4"




UNI/ISO 2725
DIN 3124

Ø	Ø	L	Ø1		
mm	mm	mm	mm		
19	29,2	50	34	5	009280119
22	31,3	53	34	5	009280122
23	33,3	53	34	5	009280123
24	34,5	53	34	5	009280124
26	36,8	55	35	5	009280126
27	38,0	56	35	5	009280127
28	39,0	57	35	3	009280128
29	40,2	58	35	3	009280129
30	41,5	58	37	3	009280130
32	44,3	60	37	3	009280132
33	45,8	60	37	3	009280133
34	46,8	60	37	3	009280134
35	48,1	62	38	3	009280135
36	49,5	64	38	3	009280136
38	52,0	68	40	3	009280138
41	56,0	71	40	3	009280141
46	62,3	75	43	3	009280146
50	67,4	80	43	3	009280150
55	73,7	84	48	1	009280155
60	80,0	87	48	1	009280160

928AS

hexagon hand sockets



"	Ø mm	L mm	Ø1 mm		
7/8	32,0	53	34	1	009280202
15/16	34,5	53	34	1	009280203
1	36,2	55	35	1	009280204
1.1/16	38,0	56	35	1	009280205
1.1/8	40,2	58	35	1	009280206
1.1/4	44,2	60	37	1	009280208
1.5/16	45,8	60	37	1	009280209
1.3/8	48,1	62	38	1	009280210
1.7/16	49,5	64	38	1	009280211
1.1/2	52,0	68	40	1	009280212
1.5/8	56,0	71	40	1	009280214
1.11/16	58,8	74	40	1	009280215
1.13/16	62,3	75	43	1	009280217
1.7/8	65,0	78	43	1	009280218
2	68,3	80	43	1	009280219
2.1/16	71,5	83	48	1	009280220

928ME

socket drivers for hexagon screws



mm	Ø mm	L mm	L1 mm		
14	35	75	15,5	2	009280514
17	35	75	15,5	2	009280517
19	35	75	15,5	2	009280519
22	35	75	22,5	2	009280522

928/15

adaptor, 3/4" female and 1/2" male drives



UNI/ISO 3316
DIN 3123

L mm	Ø mm	□	■		
51,5	34	3/4	1/2	5	009280801



Always apply torque loads evenly and progressively to avoid breakage and any possible injury.

928/16

adaptor, 3/4" female and 1" male drives




UNI/ISO 3316

DIN 3123

L mm	Ø mm	□	■		
65	34	3/4	1"	5	009280807

928/20 - 928/21 - 928/22

3/4" drive extension bars



UNI/ISO 3316
DIN 3123

	L mm	Ø mm		
928/20	100	34	3	009280810
928/21	200	34	3	009280815
928/22	380	34	3	009280825

928/25

3/4" drive universal joint



UNI/ISO 3316 DIN 3123

L mm	Ø mm		
108	40	1	009280830

928/36A


3/4" drive swivel handle



L mm		
545	1	009280844

928/42

3/4" drive slide T-handle



UNI/ISO 3315 DIN 3122

L mm	A mm		
450	62,5	3	009280850

928/55

3/4" drive reversible ratchet, 72 teeth



L mm	Ø mm	A mm		
510	58	59	2	009280862

Spare parts
rotating mechanism of ratchets,
see table after item 929/C8

928.../C12

assortment of 12 hexagon hand sockets and 5 accessories in sheet metal case



928A/C12 1 009280955

928A	22 - 24 - 27 - 30 - 32 - 34 - 36 38 - 41 - 46 - 50 - 55 mm
928/21	200 mm
928/22	380 mm
928/25	
928/42	
928/55	

530x220x80 mm - 13,5 kg

928B/C12 1 009280957

928B	22 - 24 - 27 - 30 - 32 - 34 - 36 38 - 41 - 46 - 50 - 55 mm
928/21	200 mm
928/22	380 mm
928/25	
928/42	
928/55	

530x220x80 mm - 13,5 kg

Beta

928AS/C12

assortment of 12 hexagon hand sockets and 5 accessories in sheet metal case

3/4"



928AS/C12 1 009280968

928AS	7/8-15/16-1.1/16-1.1/8-1.1/4 1.5/16-1.7/16-1.1/2-1.11/16 1.13/16-1.7/8-2.1/16
928/21	200 mm
928/22	380 mm
928/25	
928/42	
928/55	

530x220x80 mm - 13,5 kg

929

hexagon hand sockets

1"



UNI/ISO 2725 DIN 3124

mm	Ø	L	Ø1	
36	49,5	65	48	1 009290036
41	56,0	70	48	1 009290041
46	62,0	75	48	1 009290046
50	67,5	80	48	1 009290050
55	74,0	85	54	1 009290055
60	80,0	90	54	1 009290060
65	86,0	95	54	1 009290065
70	92,0	100	60	1 009290070
75	99,0	110	60	1 009290075
80	106,0	120	60	1 009290080

929/15

adaptor, 1" female and 3/4" male drives

1"



UNI/ISO 3316 DIN 3123

L	Ø	□	■	
65	47	1"	3/4"	2 009290801




Always apply torque loads evenly and progressively to avoid breakage and any possible injury.

929/21 - 929/22

1" drive extension bars

1"



UNI/ISO 3316 DIN 3123

	L	Ø	
929/21	200	47	1 009290815
929/22	400	47	1 009290825

929/42

1" drive slide T-handle

1"



UNI/ISO 3315 DIN 3122

L		
535		1 009290850

929/55

1" reversible ratchet 72 teeth

1"



UNI/ISO 3315 DIN 3122

L	Ø	A	
770	62	63	1 009290860

929/C8

8 hexagon sockets and 5 accessories

1"



929/C8 1 009290925

929	46 - 50 - 55 - 60 - 65 70 - 75 - 80 mm □ 1" - ■ 3/4"
929/15	
929/21	200 mm
929/22	400 mm
929/42	
929/55	

560x290x12 mm - 29 kg

900/R55

1/4"

48



900/R55 1 009000871
900/55

900M/R55

1/4"



900M/R55 1 009000888
900M/55

910/R55

3/8"

72



910/R55 1 009100879
606/6-606/10-612
666/6-666/10-910/55
599DGT/6

910M/R55

3/8"



910M/R55 1 009100888
910M/55-910M/56

910/R55Q

3/8"

48



910/R55Q 1 009100877
910/55Q

910/R55X

3/8"

48



910/R55X 1 009100897
666N/2X